cogress Note

Printed On Jun 15, 2006

TITLE: ER/URGENT CARE VISIT NOTE

DATE OF NOTE: JUN 14, 2006@16:29 ENTRY DATE: JUN 14, 2006@16:29:30

AUTHOR: FOUCAULT, PAUL D EXP COSIGNER:

URGENCY: STATUS: COMPLETED

ID/CC: 62 y.o. male with cc of right shoulder and low back pain since earlier this afternoon

HPI: This pt. was apparently asked to leave the downtown library by a security guard. The security guard was walking in front of the pt. escorting him outside via a circulating door when the pt. became partially lodged between the door and the wall. The pt. apparently collapsed to the floor and was evaluated by paramedics at the scene and transferred here for further evaluation. He has a h/o chronic right shoulder and lbp, and notes that the pain in both of these areas is worse since his mishap today. He does endorse pain radiating down his left leg to the knee, though he has experienced this chronically for years. He denies leg numbness/tingling/weakness, saddle anesthesia, or b/b dysfunction.

PMH:

meralgia paresthetica tobacco use h/o herpes zoster htn dm type 2 h/o etoh abuse chronic right shoulder pain h/o anemia chronic lbp ptsd

Meds:

- ACETAMINOPHEN 500MG TAB TAKE TWO TABLETS BY MOUTH ACTIVE THREE TIMES A DAY WITH MEALS AS NEEDED TO RELIEVE PAIN; DO NOT TAKE MORE THAN 4000 MG OF ACETAMINOPHEN PER DAY
- 2) ALCOHOL PREP PAD USE ONE PAD TO AFFECTED AREA AS ACTIVE DIRECTED
- 3) BUPROPION HCL 75MG TAB TAKE ONE TABLET BY MOUTH ACTIVE EVERY MORNING FOR DEPRESSION
- 4) BUSPIRONE HCL 5MG TAB TAKE ONE-HALF TABLET BY MOUTH ACTIVE TWICE A DAY FOR ANXIETY * LIMIT USE OF GRAPEFRUIT PRODUCTS
- FELODIPINE 5MG SA TAB TAKE ONE TABLET BY MOUTH EVERY ACTIVE 5) DAY TO LOWER BLOOD PRESSURE * AVOID GRAPEFRUIT PRODUCTS ; DO NOT SPLIT TABLETS
- 6) GEMFIBROZIL 600MG TAB TAKE ONE TABLET BY MOUTH TWICE ACTIVE A DAY BEFORE MEALS TO REDUCE TRIGLYCERIDE (FAT) LEVELS IN BLOOD

PATIENT NAME AND ADDRESS (Mechanical imprinting, if available)

LAJALLE, JUAN

.106 PIKE ST

UNIT 407

DEATTLE, WASHINGTON 98101

585015285

VISTA Electronic Medical Documentation

Printed at PUGET SOUND HCS

Page 1

rogress Note

Printed On Jun 15, 2006

```
ACTIVE
    GLYBURIDE 5MG TAB TAKE ONE TABLET BY MOUTH TWICE A
      DAY BEFORE MEALS FOR BLOOD SUGAR CONTROL. ONLY TAKE
      WITH FOOD. IF YOU DON'T EAT, YOUR BLOOD SUGAR WILL
      GET TOO LOW
    HYDROCHLOROTHIAZIDE 25MG TAB TAKE ONE TABLET BY MOUTH
                                                           ACTIVE
       EVERY DAY FOR EXTRA FLUID (WATER PILL) FOR BLOOD
       PRESSURE REDUCTION
                                                            ACTIVE
                        AS DIRECTED
     LANCET USE LANCET
9)
10) LOSARTAN 100MG TAB TAKE ONE TABLET BY MOUTH EVERY DAY
                                                           ACTIVE
       **REPLACES CANDESARTAN 8/2/05**
                                                            ACTIVE
11) METFORMIN HCL 850MG TAB TAKE ONE TABLET BY MOUTH
       TWICE A DAY TO REDUCE BLOOD SUGAR; TAKE WITH FOOD
       TO AVOID UPSET STOMACH *NEW DOSE 6/23/04*
    PRAZOSIN HCL 2MG CAP TAKE ONE CAPSULE BY MOUTH EVERY
                                                            ACTIVE
12)
       NIGHT AT BEDTIME FOR PTSD NIGHTMARES
methocarbamol 1000 mg po qd
naproxen 500 mg po bid prn
acetaminophen 650 mg po qid
Allergies:
see list
SH:
+ tobacco/denies etoh
Exam: Male in nad, a+o x 3
Vital Signs: Ht:68 Wt:178Lb
             Temp:F Pulse:92
            Resp:18 Pain:9
Postural Vitals:
                        BP:
                              P:
            Lying
                        BP: 200/104
                                      P:
            Sitting
                        BP:
             Standing:
 02 sat: 100
 repeat b.p. right arm 172/80
 Neck: from
 Extremities: right shoulder without deltoid/scapular atrophy, very mildly
 diminished active rom d/t pain, mildly tender to palpation, strength 5/5 bilat,
 negative empty can test, neer test
 Back: mildly diminished latera flexion bilat d/t pain, mild right lower lumbar
 paraspinal tenderness to palpation, no cva tenderness
 Neuro:
         motor- 5/5 l.e.
         sensation- intact in all dermatomes to light touch
         Dtr's- 1+ throughout l.e.
         gait- normal gait/heel/toe/tandem walk
 (-) slr bilat
```

PATIENT NAME AND ADDRESS (Mechanical imprinting, if available)

VISTA Electronic Medical Documentation

TAJALLE, JUAN 1106 PIKE ST UNIT 407 SEATTLE, WASHINGTON 98101 586015285

Printed at PUGET SOUND HCS

rogress Note

Printed On Jul 06, 2006

NORTRIPTYLINE 25MG CAP, NORTRIPTYLINE 10MG CAP, LISINOPRIL, ACE INHIBITORS ADD'L ALLERGIES NOT IN ELECTRONIC RECORD:

Current Medications: Active Outpatient Medications (including Supplies):

Active Outpatient Mcdications ACETAMINOPHEN 500MG TAB TAKE TWO TABLETS BY MOUTH

THREE TIMES A DAY WITH MEALS AS NEEDED TO RELIEVE PAIN; DO NOT TAKE MORE THAN 4000 MG OF ACETAMINOPHEN PER DAY

ACTIVE

ALCOHOL PREP PAD USE ONE PAD TO AFFECTED AREA AS 2) DIRECTED

ACTIVE

BUPROPION HCL. 75MG TAB TAKE ONE TABLET BY MOUTH 3) EVERY MORNING FOR DEPRESSION

BUSPIRONE HCL SMG TAB TAKE ONE-HALF TABLET BY MOUTH ACTIVE TWICE A DAY FOR ANXIETY * LIMIT USE OF GRAPEFRUIT PRODUCTS

FELODIPINE SMG SA TAB TAKE ONE TABLET BY MOUTH EVERY ACTIVE 5) DAY TO LOWER BLOOD PRESSURE * AVOID GRAPEFRUIT PRODUCTS ; DO NOT SPLIT TABLETS

GEMFIBROZIL 600MG TAB TAKE ONE TABLET BY MOUTH TWICE ACTIVE 6) A DAY BEFORE MEALS TO REDUCE TRIGLYCERIDE (FAT) LEVELS IN BLOOD

GLYBURIDE 5MG TAB TAKE ONE TABLET BY MOUTH TWICE A 7) DAY BEFORE MEALS FOR BLOOD SUGAR CONTROL. ONLY TAKE WITH FOOD. IF YOU DON'T EAT, YOUR BLOOD SUGAR WILL GET TOO LOW

ACTIVE

HYDROCHLOROTHIAZIDE 25MG TAB TAKE ONE TABLET BY MOUTH ACTIVE 8) EVERY DAY FOR EXTRA FLUID (WATER PILL) FOR BLOOD PRESSURE REDUCTION

LANCET USE LANCET AS DIRECTED

ACTIVE

10) LOSARTAN 100MG TAB TAKE ONE TABLET BY MOUTH EVERY DAY ACTIVE

REPLACES CANDESARTAN 8/2/05

11) METFORMIN HCL 850MG TAB TAKE ONE TABLET BY MOUTH TWICE A DAY TO REDUCE BLOOD SUGAR; TAKE WITH FOOD TO AVOID UPSET STOMACH *NEW DOSE 6/23/04*

PRAZOSIN HCL 2MG CAP TAKE ONE CAPSULE BY MOUTH EVERY ACTIVE NIGHT AT BEDTIME FOR PTSD NIGHTMARES

ADD'L MEDICATIONS NOT IN ELECTRONIC RECORD (INCL.OTC'S, HERBALS):

Alcohol Use:

No

4)

Tobacco Use:

No

Orders:

PATIENT NAME AND ADDRESS (Mechanical imprinting, if available)

VISTA Electronic Medical Documentation

MAJALLE, JUAN 1106 PIKE ST MIT 407

EATTLE, WASHINGTON 98101

56015285

Printed at PUGET SOUND HCS

'rogress Note

Printed On Jul 06, 2006

EKG: XRAY:LABS:

Consulted with: Triaged To: Urgent Care/Walk-In 3

/es/ Chad Rice, RN RN, Agency Signed: 06/14/2006 16:10

07/03/2006 ADDENDUM

STATUS: COMPLETED

late addendum-

pt called er to request that i specify that he was not in an altercation with the security guards of the seattle public library. i was told this information by the ems personnel, who were not present at the time of this patients confrontation with the security guards, and i typed this into my original triage note assuming this information was correct. pt requests that i include in this note that he is a disabled veteran.

/es/ Chad Rice, RN RN, Agency

Signed: 07/03/2006 15:14

PATIENT NAME AND ADDRESS (Mechanical imprinting, if available)

TAJALLE, JUAN 1106 PIKE ST UNIT 407 SEATTLE, WASHINGTON 98101 586015285

VISTA Electronic Medical Documentation

Printed at PUGET SOUND HCS

Page